RESIDENTIAL MD SYSTEM® dryv



An Exterior Wall Insulation and Finish System with Drainage Mat


Residential MD System Installation Details




TABLE OF CONTENTS

DETAIL	PAGE	DETAIL	PAGE
DRAINAGE MAT OPTION	RMD 0.0.01	SHUTTER AND DOWN SPOUT	RMD 0.0.28
DUPONT™ TYVEK STUCCOWRAP®	RMD 0.0.02	ATTACHMENT	N11D 0.0.20
OPTION		PENETRATIONS	RMD 0.0.29
DRYVIT BACKSTOP® NT OPTION	RMD 0.0.03	SEALANT CONFIGURATION OPTIONS	RMD 0.0.30
FASTENING PATTERN	RMD 0.0.04	AESTHETIC REVEALS SOFFIT TERMINATION	RMD 0.0.31 RMD 0.0.32
TERMINATION AT FOUNDATION	RMD 0.0.05	SOFFIT WITH FRIEZE BOARD	RMD 0.0.33
GRADE LEVEL-	RMD 0.0.06	SOFFIT- INSULATED	RMD 0.0.34
TERMINATION AT CONCRETE CURB TERMINATION AT BRICK DETAIL	RMD 0.0.07	SOFFIT- UNINSUATED	RMD 0.0.35
		GABLE END WITH EPS TRIM	RMD 0.0.36
OPENING PREP- SHEET TYPE WRB	RMD 0.0.08	GABLE END WITH WOOD TRIM	RMD 0.0.37
OPENING PREP- BACKSTOP NT WRB/	RMD 0.0.09	PARAPET	RMD 0.0.38
AQUAFLASH® SYSTEM OPTION		ROOF TO WALL FLASHING	RMD 0.0.39
OPENING PREP- BACKSTOP NT WRB/ BACKSTOP NT / GRID TAPE OPTION	RMD 0.0.10	CHIMNEY ENCLOSURE	RMD 0.0.40
WINDOW ELEVATION	RMD 0.0.11	SOFFIT VENT	RMD 0.0.41
ARCHED WINDOW HEAD	RMD 0.0.12	NOTE	
			ING CONFORMITY OF
WINDOW HEAD	RMD 0.0.13	DRYVIT MAKES NO REPRESENTATION REGARDING ITS SUGGESTIONS TO MODEL BUILDING CODES, ENCERITERIA, SPECIFIC APPLICATIONS OR PROJECT LO COMPONENTS INDICATED IN ILLUSTRATIONS, AS W	
WINDOW HEAD J-TRACK OPTION FOR SELF FLASHING WINDOW	RMD 0.0.14		LOCATIONS. ALL
WINDOW JAMB	RMD 0.0.15	OTHERS THAT MAY BE REQUIRED FOR THE IN	
WINDOW SILL	RMD 0.0.16	SYSTEM SHALL BE DESIGNED, DETAILED AND REPRESENTATIVES OF THE ARCHITECT, OWNER	
DOOR JAMB WITH INTEGRAL FLASHING	RMD 0.0.17	TO BE IN CONFORMANCE WITH MODEL CODES, AF	RCHITECTURAL
DOOR JAMB WITH BRICK MOLD	RMD 0.0.18	AND ENGINEERING REQUIREMENTS PERTAINING BUILDING PROJECTS.	TU SPELIFIL
DOOR HEAD WITH INTEGRAL FLASHING	RMD 0.0.19	DRYVIT MAKES NO WARRANTY, EXPRESSED (OR IMPLIED AS TO
DOOR HEAD WITH BRICK MOLD	RMD 0.0.20	THE ARCHITECTURAL DESIGN, ENGINEERING, OF PROJECTS UTILIZING DRYVIT SYSTEMS OR PR	WORKMANSHIP OF
EPS PREPARATION AT WALL PENETRATIONS	RMD 0.0.21	THE LIABILITIES OF DRYVIT SHALL BE AS ST.	
OUTSIDE CORNER- HIGH IMPACT	RMD 0.0.22	DRYVIT STANDARD WARRANTY. CONTACT DR AND COMPLETE COPY OF THIS WARRANTY.	YVIT FOR A FULL
INSIDE / OUTSIDE CORNERS	RMD 0.0.23		
EXPANSION JOINT AT FLOOR LINE	RMD 0.0.24		
CONCEALED FLOOR LINE EXPANSION JOINT	RMD 0.0.25		
WOOD FRAMED DECK- CROSS SECTION	RMD 0.0.26		
WOOD FRAMED DECK- CUT AWAY	RMD 0.0.27		

Residential MD System®







Residential MD System®

Dryvit Drainage Mat Option

NOTE:


- 1. DRYVIT RECOMMENDS THAT GROUND FLOOR APPLICATIONS AND ALL FACADES EXPOSED TO ABNORMAL STRESS, HIGH TRAFFIC, OR DELIBERATE IMPACT HAVE THE BASE COAT REINFORCED WITH PANZER® MESH PRIOR TO STANDARD MESH™ OR STANDARD PLUS MESH™. LOCATION OF HIGH IMPACT ZONES SHOULD BE INDICATED ON CONTRACT DRAWINGS.
- 2. DRYVIT GENESIS® OR GENESIS DM SHALL BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.
- 3. THE SELECTION OF A SPECIFIC WATER-RESISTIVE BARRIER IS THE RESPONSIBILITY OF THE SPECIFIER AND IS OUTSIDE THE SCOPE OF THIS DOCUMENT.

professional. All systems must comply with local building codes and standards. This detail is for general information and guidance only and Dryvit specifically disclaims any liability for the use of this detail and for the architecture, design, engineering or workmanship of any project. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent alternative is best suited for the project. Use of a functionally equivalent detail does not violate Dryvit's warranty. This detail is subject to change without notice. Contact Dryvit to insure you have the most recent version.



The architecture, engineering and design of the project using the Dryvit products is the responsibility of the project's design

APPROVED BY:	REV:	DATE:
RS	5	08/06




Residential MD System®


DuPont™ Tyvek® StuccoWrap® Option

NOTE:

- 1. DRYVIT RECOMMENDS THAT GROUND FLOOR APPLICATIONS AND ALL FACADES EXPOSED TO ABNORMAL STRESS, HIGH TRAFFIC, OR DELIBERATE IMPACT HAVE THE BASE COAT REINFORCED WITH PANZER® MESH PRIOR TO STANDARD MESHT OR STANDARD PLUS MESHT. LOCATION OF HIGH IMPACT ZONES SHOULD BE INDICATED ON CONTRACT DRAWINGS.
- DRYVIT DRAINAGE STRIP IS REQUIRED WHEN USING STUCCOWRAP WITHOUT A DRAINAGE TRACK.
- 3. DRYVIT GENESIS® OR GENESIS DM SHALL BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.
- 4. THE SELECTION OF A SPECIFIC WATER-RESISTIVE BARRIER IS THE RESPONSIBILITY OF THE SPECIFIER AND IS OUTSIDE THE SCOPE OF THIS DOCUMENT.







Residential MD System®

NOTE:


1. DRYVIT RECOMMENDS THAT GROUND FLOOR APPLICATIONS AND ALL FACADES EXPOSED TO ABNORMAL STRESS, HIGH TRAFFIC, OR DELIBERATE IMPACT HAVE THE BASE COAT REINFORCED WITH PANZER® MESH PRIOR TO 4. ENSURE BOTTOM EDGE OF DRAINAGE STANDARD MESH™ OR STANDARD PLUS MESHTM. LOCATION OF HIGH IMPACT ZONES SHOULD BE INDICATED ON CONTRACT DRAWINGS.

- 2. LIGHTLY SAND SURFACES OF TRACK TO MAXIMIZE ADHESION.
- 3. OSB SUBSTRATES ARE NOT ACCEPTABLE FOR USE WITH DRYVIT BACKSTOP NT.
- STRIP IS LEFT FREE TO DRAIN.
- 5. AS AN OPTION DRYVIT FLASHING TAPE SURFACE CONDITIONER™ AND DRYVIT FLASHING TAPET CAN BE USED.

APPROVED BY: REV: DATE 08/06

Dryvit Backstop® NT Option





Residential MD System®

Fastening Pattern


NOTE:

1. MAXIMUM WIND LOAD PRESSURE IS DEPENDENT ON WASHER / FASTENER TYPE, PATTERN AND INSULATION BOARD THICKNESS. REFER TO WASHER/ FASTENER MANUFACTURER FOR ALTERNATE PATTERNS.

2.FASTENERS ARE NOT REQUIRED WHEN BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.



APPROVED BY:	REV:	DATE:
RS	4	08/06




Residential MD System®

Termination At Foundation



APPROVED BY:	REV:	DATE:
RS	5	08/06



Residential MD System®

APPROVED BY:

REV:

Grade Level - Termination At Concrete Curb

NOTE:

1. DRYVIT RECOMMENDS THAT GROUND FLOOR APPLICATIONS AND ALL FACADES EXPOSED TO ABNORMAL STRESS, HIGH TRAFFIC, OR DELIBERATE IMPACT HAVE THE BASE COAT REINFORCED WITH PANZER® MESH PRIOR TO STANDARD MESH™ OR STANDARD PLUS MESHTM. LOCATION OF HIGH IMPACT ZONES SHOULD BE INDICATED ON CONTRACT DRAWINGS.

- 2. FASTENERS ARE NOT REQUIRED WHEN BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.
- 3. ENSURE DRAINAGE MEDIUM IS KEPT BASE OF SYSTEM.
- BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL

DATE 08/06

4. DRYVIT GENESIS® OR GENESIS DM SHALL FASTENERS.





Residential MD System®


Termination at Brick Detail

- 1. DRYVIT RECOMMENDS THAT GROUND FLOOR APPLICATIONS AND ALL FACADES EXPOSED TO ABNORMAL STRESS, HIGH TRAFFIC, OR DELIBERATE IMPACT HAVE THE BASE COAT REINFORCED WITH PANZER® MESH PRIOR TO 3. FASTENERS ARE NOT REQUIRED WHEN STANDARD MESH™ OR STANDARD PLUS MESH™. LOCATION OF HIGH IMPACT ZONES SHOULD BE INDICATED ON CONTRACT DRAWINGS.
- BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.
 - BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.


2. DRYVIT GENESIS® OR GENESIS DM SHALL The architecture, engineering and design of the projects design of the projects design of professional. All The architecture, engineering and design of the project using the Dryvit systems must comply with local building codes and standards. This detail is for general information and guidance only and Dryvit specifically disclaims any liability for the use of this detail and for the architecture, design, engineering or workmanship of any project. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent alternative is best suited for the project. Use of a functionally equivalent detail does not violate Dryvit's warranty. This detail is subject to change without notice. Contact Dryvit to insure you have the most recent version.



APPROVED BY:	REV:	DATE:
RS	3	08/06



STEP #1



STEP #2

- 1.) APPLY DRYVIT FLASHING TAPE SURFACE CONDITIONER AND DRYVIT FLASHING TAPE ONTO HEAD
- 2.)INSTALL WINDOW UNIT AND ASSOCIATED FLASHINGS PER MANUFACTURER'S RECOMMENDATIONS, CODE REQUIREMENTS AND PROJECT DOCUMENTS.
- 3.)FOLD DOWN WATER-RESISTIVE BARRIER OVER HEAD FLASHING AND TAPE SEAMS WITH DRYVIT FLASHING TAPE

Residential MD System®


NOTE:

- 1. SHEET TYPE CODE APPROVED
 WATER-RESISTIVE BARRIER SHALL BE
 INSTALLED IN A WEATHER BOARD FASHION
 IN ACCORDANCE WITH CODE AND
 MANUFACTURER'S REQUIREMENTS.
- 2. DRYVIT OPENING WRAP SHALL EXTEND TO THE INTERIOR FACE OF FRAMING

APPROVED BY: REV: DATE:

Opening Prep - Sheet Type WRB





Residential MD System®


NOTE:

 DRYVIT OPENING WRAP SHALL EXTEND TO INTERIOR FACE OF FRAMING.

APPROVED BY:	REV:	DATE:
RS	1	08/06

Opening Prep - Backstop® NT WRB/ Aquaflash® System Option





Residential MD System®

Opening Prep - Backstop® NT WRB/ Backstop NT / Grid Tape™ Option

NOTE:

- APPLY DRYVIT GRID TAPE ON CORNERS OF OPENING AND SHEATHING JOINTS.
- OPENING AND SHEATHING JOINTS.

 2. TROWEL APPLY DRYVIT BACKSTOP

 NT-TEXTURE OVER THE DRYVIT GRID TAPE
 EXTENDING TO INSIDE FACE OF OPENING. ALL

 VOIDS MUST BE FILLED; MULTIPLE PASSES

 MAY BE REQUIRED. AS AN OPTION, DRYVIT

 GRID TAPE AND DRYVIT BACKSTOP

 NT-TEXTURE MAY ALSO BE APPLIED AT


 THE SILL PRIOR TO DRYVIT AQUAFLASH

 SYSTEM OR FLASHING TAPE APPLICATION.
- 3. APPLY DRYVIT AQUAFLASH SYSTEM OR DRYVIT FLASHING TAPE SURFACE CONDITIONER AND DRYVIT FLASHING TAPE AT SILL, INCLUDING CORNER SPLICES.
- 4. INSTALL WINDOW UNIT AND ASSOCIATED FLASHINGS PER MANUFACTURER'S RECOMMENDATIONS, CODE REQUIREMENTS AND PROJECT DOCUMENTS.
- 5. APPLY DRYVIT BACKSTOP NT SMOOTH OR TEXTURE OVER REMAINDER OF WALL SURFACE.

 APPROVED BY:
 REV:
 DATE:

 RS
 0
 08/06





Residential MD System®


Window Elevation

NOTES:

1.FLASHING TRANSITION BETWEEN CURVED AND HORIZONTAL ASSEMBLIES MUST BE PROPERLY LAPPED AND SEALED TO SHED WATER TO THE EXTERIOR.



APPROVED BY:	REV:	DATE:
RS	6	08/06



Residential MD System®


NOTE:

- CODE APPROVED WATER-RESISTIVE BARRIER AND DRAINAGE MAT MAY BE REPLACED WITH DUPONT'S TYVEK STUCCOWRAP® (REFER TO RMD 0.0.02)
- 2. DRYVIT GENESIS® OR GENESIS DM SHALL BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.
- 3. FASTENERS ARE NOT REQUIRED WHEN BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.

Arched Window Head



APPROVED BY:	REV:	DATE:
RS	7	08/06



Residential MD System®


Window Head

NOTE:

- GANGED WINDOWS SHALL HAVE CONTINUOUS FLASHING INSTALLED AT THE HEADS.
- 2. IF OPTIONAL VINYL TRACK IS USED, BACK OF EPS WILL NEED TO BE NOTCHED TO ACCOMMODATE THE DRAINAGE MEDIUM AND WATER-RESISTIVE BARRIER.
- 3. DRYVIT GENESIS® OR GENESIS DM SHALL BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.
 - 4. FASTENERS ARE NOT REQUIRED WHEN BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.



APPROVED BY:	REV:	DATE:
RS	7	08/06




Residential MD System®

- 1. DRYVIT RECOMMENDS THAT GROUND FLOOR 2. ENSURE THAT MINIMUM 19MM (3/4") EPS APPLICATIONS AND ALL FACADES EXPOSED TO ABNORMAL STRESS, HIGH TRAFFIC, OR DELIBERATE IMPACT HAVE THE BASE COAT REINFORCED WITH PANZER® MESH PRIOR TO STANDARD MESHTM OR STANDARD PLUS MESHTM. LOCATION OF HIGH IMPACT ZONES SHOULD BE INDICATED ON CONTRACT DRAWINGS.
- THICKNESS IS MAINTAINED OVER J-TRACK.
 - 3. DRYVIT GENESIS® OR GENESIS DM SHALL BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.
 - 4. FASTENERS ARE NOT REQUIRED WHEN BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.

APPROVED BY: REV: DATE 08/06

Window Head J-Track Option-Self-Flashing Window





Residential MD System®

Window Jamb

NOTES:


- DRYVIT GENESIS® OR GENESIS DM SHALL BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.
- 2. FASTENERS ARE NOT REQUIRED WHEN BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.

 APPROVED BY:
 REV:
 DATE:

 RS
 7
 08/06



0.0.16 RMD




Residential MD System®

Window Sill

- 1. DRYVIT RECOMMENDS THAT GROUND FLOOR 2. DRYVIT GENESIS® OR GENESIS DM SHALL APPLICATIONS AND ALL FACADES EXPOSED TO ABNORMAL STRESS, HIGH TRAFFIC, OR DELIBERATE IMPACT HAVE THE BASE COAT REINFORCED WITH PANZER® MESH PRIOR TO 3. FASTENERS ARE NOT REQUIRED WHEN STANDARD MESH™ OR STANDARD PLUS MESHTM. LOCATION OF HIGH IMPACT ZONES SHOULD BE INDICATED ON CONTRACT DRAWINGS.
 - BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.
 - BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.





Residential MD System®


NOTE:

- 1. DRYVIT RECOMMENDS THAT GROUND FLOOR APPLICATIONS AND ALL FACADES EXPOSED TO ABNORMAL STRESS, HIGH TRAFFIC, OR DELIBERATE IMPACT HAVE THE BASE COAT REINFORCED WITH PANZER® MESH PRIOR TO STANDARD MESH™ OR STANDARD PLUS MESH™. LOCATION OF HIGH IMPACT ZONES SHOULD BE INDICATED ON CONTRACT DRAWINGS.
- 2. DRYVIT GENESIS® OR GENESIS DM SHALL BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.
- 3. FASTENERS ARE NOT REQUIRED WHEN BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.

Door Jamb With Integral Flashing



APPROVED BY:	REV:	DATE:
RS	7	08/06



Residential MD System®


NOTE:

- 1. DRYVIT RECOMMENDS THAT GROUND FLOOR APPLICATIONS AND ALL FACADES EXPOSED TO ABNORMAL STRESS, HIGH TRAFFIC, OR DELIBERATE IMPACT HAVE THE BASE COAT REINFORCED WITH PANZER® MESH PRIOR TO STANDARD MESH™ OR STANDARD PLUS MESH™. LOCATION OF HIGH IMPACT ZONES SHOULD BE INDICATED ON CONTRACT DRAWINGS.
- 2. DRYVIT GENESIS® OR GENESIS DM SHALL BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.
- 3. FASTENERS ARE NOT REQUIRED WHEN BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.

Door Jamb With Brick Mold



APPROVED BY:	REV:	DATE:
RS	7	08/06




Residential MD System®

- 1. IF OPTIONAL VINYL TRACK IS USED. BACK 2. DRYVIT GENESIS® OR GENESIS DM SHALL OF EPS WILL NEED TO BE NOTCHED TO ACCOMMODATE THE DRAINAGE MEDIUM AND WATER-RESISTIVE BARRIER.
 - BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.
 - 3. FASTENERS ARE NOT REQUIRED WHEN BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.

APPROVED BY: REV DATE 08/06

Door Head With Integral Flashing





Residential MD System®

NOTE:

- 1. IF OPTIONAL VINYL TRACK IS USED, BACK 2. DRYVIT GENESIS® OR GENESIS DM SHALL OF EPS WILL NEED TO BE NOTCHED TO ACCOMMODATE THE DRAINAGE MEDIUM AND WATER-RESISTIVE BARRIER.
- BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.
 - 3. FASTENERS ARE NOT REQUIRED WHEN BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.


The architecture, engineering and design of the project using the Dryvit products is the responsibility of the project's design professional. All systems must comply with local building codes and

standards. This detail is for general information and guidance only and Dryvit specifically disclaims any liability for the use of this detail and for the architecture, design, engineering or workmanship of any project. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent alternative is best suited for the project. Use of a functionally equivalent detail does not violate Dryvit's warranty. This detail is subject to change without notice. Contact Dryvit to insure you have the most recent

Door Head With Brick Mold



APPROVED BY:	REV:	DATE:
RS	7	08/06



Residential MD System®

NOTE:


1.LOCATE INSULATION BOARDS SUCH THAT BOARD EDGES DO NOT ALIGN WITH CORNERS OF PENETRATION.

2.APPLY A PIECE OF 241 MM (9 1/2") X 305 MM (12") DETAIL REINFORCING MESH DIAGONALLY AT EACH CORNER.

APPROVED BY: REV: DATE: RS 6 08/06

EPS Preparation at Wall Penetrations





Residential MD System®


NOTE:

1.DRYVIT RECOMMENDS THAT GROUND FLOOR APPLICATIONS AND ALL FACADES EXPOSED TO ABNORMAL STRESS, HIGH TRAFFIC, OR DELIBERATE IMPACT HAVE THE BASE COAT REINFORCED WITH PANZER® MESH PRIOR TO STANDARD MESH™ OR STANDARD PLUS MESH™. LOCATION OF HIGH IMPACT ZONES SHOULD BE INDICATED ON CONTRACT DRAWINGS.

APPROVED BY:	REV:	DATE:
RS	5	08/06

Outside Corner - High Impact






Residential MD System®

- 1. DRYVIT RECOMMENDS THAT GROUND FLOOR 3. DESIGNER SHALL DETERMINE THE NEED FOR APPLICATIONS AND ALL FACADES EXPOSED TO ABNORMAL STRESS, HIGH TRAFFIC, OR DELIBERATE IMPACT HAVE THE BASE COAT REINFORCED WITH PANZER® MESH PRIOR TO STANDARD MESHT OR STANDARD PLUS MESH™. LOCATION OF HIGH IMPACT ZONES SHOULD BE INDICATED ON CONTRACT DRAWINGS.
- 2. DOUBLE WRAP CORNERS WITH REINFORCING MESH OR CORNER MESH. DO NOT LAP MESH WITHIN 203 MM (8") OF THE CORNER.
- AN EXPANSION JOINT AT CORNERS.
- 4.DRYVIT GENESIS® OR GENESIS DM SHALL BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.
- 5. FASTENERS ARE NOT REQUIRED WHEN BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.

Inside/Outside Corners



APPROVED BY:	REV:	DATE:
RS	6	08/06



Residential MD System®


NOTE:

- APPLICATIONS AND ALL FACADES EXPOSED TO ABNORMAL STRESS, HIGH TRAFFIC, OR DELIBERATE IMPACT HAVE THE BASE COAT REINFORCED WITH PANZER® MESH PRIOR TO 4.FASTENERS ARE NOT REQUIRED WHEN STANDARD MESH™ OR STANDARD PLUS MESHTM. LOCATION OF HIGH IMPACT ZONES SHOULD BE INDICATED ON CONTRACT DRAWINGS.
- 2. OFFSET SYSTEM EXPANSION JOINT APPROXIMATELY 25 MM (1") BELOW SHEATHING GAP.
- 1. DRYVIT RECOMMENDS THAT GROUND FLOOR 3. DRYVIT GENESIS® OR GENESIS DM SHALL BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL **FASTENERS**
 - BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.
 - 5. IF OPTIONAL DRAINAGE TRACK IS USED, BACK OF EPS WILL NEED TO BE NOTCHED TO ACCOMODATE THE DRAINAGE MEDIUM AND WATER-RESISTIVE BARRIER.

APPROVED BY: REV: DATE 08/06

Expansion Joint At Floor Line





Residential MD System®


Concealed Floor Line **Expansion Joint**

NOTE:

- 1. DRYVIT RECOMMENDS THAT GROUND FLOOR 3. DRYVIT GENESIS® OR GENESIS DM SHALL APPLICATIONS AND ALL FACADES EXPOSED TO ABNORMAL STRESS, HIGH TRAFFIC, OR DELIBERATE IMPACT HAVE THE BASE COAT REINFORCED WITH PANZER® MESH PRIOR TO 4.FASTENERS ARE NOT REQUIRED WHEN STANDARD MESH™ OR STANDARD PLUS MESH™. LOCATION OF HIGH IMPACT ZONES SHOULD BE INDICATED ON CONTRACT DRAWINGS.
- 2. OFFSET SYSTEM EXPANSION JOINT APPROXIMATELY 25 MM (1") BELOW SHEATHING GAP.
- BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL **FASTENERS**
- BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.
- 5. IF OPTIONAL DRAINAGE TRACK IS USED, BACK OF EPS WILL NEED TO BE NOTCHED TO ACCOMODATE THE DRAINAGE MEDIUM AND WATER-RESISTIVE BARRIER.

APPROVED BY: REV: DATE 08/06





Residential MD System®


NOTE:

- 1. THESE DETAILS DO NOT APPLY TO CANTILEVERED DECKS. CANTILEVERED DECKS REQUIRE JOB SPECIFIC FLASHING DETAILS.
- 2. REFER TO RMD 0.0.27 FOR DECK CUTAWAY DETAIL.
- 3. WHEN FLASHING NUMBER 3 IS IN PLACE, EPS WILL NEED TO BE PREWRAPPED WITH BASE COAT AND MESH.
- 4.IF OPTIONAL VINYL TRACK IS USED, BACK OF EPS WILL NEED TO BE NOTCHED. TO ACCOMMODATE THE DRAINAGE MAT AND SECONDARY BARRIER.
- 5. DRYVIT GENESIS® OR GENESIS DM SHALL BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.
- 6.FASTENERS ARE NOT REQUIRED WHEN BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.

APPROVED BY: REV: DATE: RS 6 08/06

Wood Framed Deck - Cross Section





Residential MD System®

NOTES:

- 1. THESE DETAILS DO NOT APPLY TO CANTILEVERED DECKS. CANTILEVERED DECKS REQUIRE JOB SPECIFIC FLASHING DETAILS.
- 2. REFER TO RMD 0.0.26 FOR DECK CROSS SECTION DETAIL.

this detail and for the architecture, design, engineering or workmans of any project. The project design professional determines, in its sole


professional. All systems must comply with local building codes and standards. This detail is for general information and guidance only and Dryvit specifically disclaims any liability for the use of this detail and for the architecture, design, engineering or workmanship of any project. The project design professional determines, in its sole discretion, whether this detail or a functionally equivalent alternative is best suited for the project. Use of a functionally equivalent detail does not violate Dryvit's warranty. This detail is subject to change without notice. Contact Dryvit to insure you have the most recent version.

The architecture, engineering and design of the project using the Dryvit products is the responsibility of the project's design

Wood Framed Deck - Cut Away



APPROVED BY:	REV:	DATE:
RS	6	08/06



Residential MD System®


NOTES:

 DRYVIT GENESIS® OR GENESIS DM SHALL BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.

APPROVED BY: REV: DATE: RS 6 08/06

Shutter And Downspout Attachment





Residential MD System®

Penetrations


NOTE:

1. DRYVIT RECOMMENDS THAT GROUND FLOOR APPLICATIONS AND ALL FACADES EXPOSED TO ABNORMAL STRESS, HIGH TRAFFIC, OR DELIBERATE IMPACT HAVE THE BASE COAT REINFORCED WITH PANZER® MESH PRIOR TO STANDARD MESH™ OR STANDARD PLUS MESH™. LOCATION OF HIGH IMPACT ZONES SHOULD BE INDICATED ON CONTRACT DRAWINGS.

2. DRYVIT GENESIS® OR GENESIS DM SHALL BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.



APPROVED BY:	REV:	DATE:
RS	6	08/06



Residential MD System®


NOTES:

- 1. WEATHER SEAL JOINTS SUCH AS AT WINDOW AND DOOR PERIMETERS CAN USE ANGLE OR RECTANGULAR BEADS. RECTANGULAR BEADS USED AS A WEATHERSEAL REQUIRE A MINIMUM 13 MM (1/2") WIDTH.
- 2.EXPANSION JOINTS SHALL USE RECTANGULAR BEADS AND BE DESIGNED FOR MINIMUM FOUR TIMES THE ANTICIPATED MOVEMENT, BUT NOT LESS THAN 19 MM (3/4").
- 3.DRYVIT GENESIS® OR GENESIS DM SHALL BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.

Sealant Configuration Options







Residential MD System®

APPROVED BY:


Aesthetic Reveals

- 1. DRYVIT RECOMMENDS THAT GROUND FLOOR 3. DRYVIT GENESIS® OR GENESIS DM SHALL APPLICATIONS AND ALL FACADES EXPOSED TO ABNORMAL STRESS, HIGH TRAFFIC, OR DELIBERATE IMPACT HAVE THE BASE COAT REINFORCED WITH PANZER® MESH PRIOR TO STANDARD MESH™ OR STANDARD PLUS MESHTM. LOCATION OF HIGH IMPACT ZONES SHOULD BE INDICATED ON CONTRACT DRAWINGS.
- 2.BOTTOM EDGES OF ALL REVEALS MUST BE SLOPED FOR DRAINAGE.

BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.







Residential MD System®

Soffit Termination


NOTE:

- 1. DRYVIT GENESIS® OR GENESIS DM SHALL BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.
- 2.FASTENERS ARE NOT REQUIRED WHEN BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.

 APPROVED BY:
 REV:
 DATE:

 RS
 6
 08/06





Residential MD System®


NOTE:

- 1. INSTALL SOFFIT FRIEZE BOARD AND TRIM AFTER RESIDENTIAL MD SYSTEM IS IN PLACE.
- 2. DRYVIT GENESIS® OR GENESIS DM SHALL BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.
- 3.FASTENERS ARE NOT REQUIRED WHEN BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.

APPROVED BY: REV: DATE: RS 6 08/06

Soffit With Frieze Board





Residential MD System®

Soffit - Insulated


NOTE:

- 1. DRYVIT RECOMMENDS THAT GROUND FLOOR APPLICATIONS AND ALL FACADES EXPOSED TO ABNORMAL STRESS, HIGH TRAFFIC, OR DELIBERATE IMPACT HAVE THE BASE COAT REINFORCED WITH PANZER® MESH PRIOR TO STANDARD MESHTM OR STANDARD PLUS MESHTM. LOCATION OF HIGH IMPACT ZONES SHOULD BE INDICATED ON CONTRACT DRAWINGS.
- 2. FASTENERS ARE NOT REQUIRED WHEN BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.
- 3. WHEN USING THE BACKSTOP NT OPTION LIGHTLY SAND SURFACES OF TRACK TO MAXIMIZE ADHESION OF DRYVIT AQUAFLASH® SYSTEM OR DRYVIT FLASHING TAPE SURFACE CONDITIONER™ AND DRYVIT FLASHING TAPE™
- 4.DRYVIT GENESIS® OR GENESIS DM SHALL BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.

 APPROVED BY:
 REV:
 DATE:

 RS
 2
 08/06





Residential MD System®


NOTE:

- 1. DRYVIT RECOMMENDS THAT GROUND FLOOR APPLICATIONS AND ALL FACADES EXPOSED TO ABNORMAL STRESS, HIGH TRAFFIC, OR DELIBERATE IMPACT HAVE THE BASE COAT REINFORCED WITH PANZER® MESH PRIOR TO STANDARD MESHTM OR STANDARD PLUS MESHTM. LOCATION OF HIGH IMPACT ZONES SHOULD BE INDICATED ON CONTRACT DRAWINGS.
- 2. FASTENERS ARE NOT REQUIRED WHEN BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.
- 3. WHEN USING THE BACKSTOP NT OPTION LIGHTLY SAND SURFACES OF TRACK TO MAXIMIZE ADHESION OF DRYVIT AQUAFLASH® SYSTEM OR DRYVIT FLASHING TAPE SURFACE CONDITIONER™ AND DRYVIT FLASHING TAPE™
- 4.DRYVIT GENESIS® OR GENESIS DM SHALL BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.
- 4.CONTROL JOINTS IN UNINSULATED SOFFITS ARE RECOMMENDED EVERY 6M (20').

APPROVED BY: REV: DATE: RS 2 08/06

Soffit - Uninsulated





Residential MD System®


NOTE:

- 1. FOR RAKE WITH OVERHANG REFER TO RMD 0.0.32 AND 0.0.33.
- 2. FOR EPS THICKNESS (INCLUDING TRIM) EXCEEDING 64 MM (2 1/2"), BLOCKING SHOULD BE ADDED TO PROVIDE STRUCTURAL SUPPORT FOR THE ROOF SHEATHING.
- 3.FASTENERS ARE NOT REQUIRED WHEN BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.
- 4.DRYVIT GENESIS® OR GENESIS DM SHALL BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.

APPROVED BY: REV: DATE: RS 6 08/06

Gable End With EPS Trim






Residential MD System®


NOTE:

- 1. FOR RAKE WITH OVERHANG REFER TO RMD 0.0.32 AND 0.0.33.
- 2.FASTENERS ARE NOT REQUIRED WHEN BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.
- 3.DRYVIT GENESIS® OR GENESIS DM SHALL BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.

Gable End With Wood Trim








Residential MD System®


Parapet

NOTE:

- 1. DRYVIT RECOMMENDS THAT GROUND FLOOR APPLICATIONS AND ALL FACADES EXPOSED TO ABNORMAL STRESS, HIGH TRAFFIC, OR DELIBERATE IMPACT HAVE THE BASE COAT REINFORCED WITH PANZER® MESH PRIOR TO STANDARD MESHTM OR STANDARD PLUS MESHTM. LOCATION OF HIGH IMPACT ZONES SHOULD BE INDICATED ON CONTRACT DRAWINGS.
- 2.FASTENERS ARE NOT REQUIRED WHEN BACKSTOP® NT IS USED AS THE WATER-RESISTIVE BARRIER.
- 3.DRYVIT GENESIS® OR GENESIS DM SHALL BE USED AS THE BASE COAT WHEN INSTALLING SYSTEMS WITH MECHANICAL FASTENERS.







Residential MD System®


NOTE:

- 1. EXTEND KICKOUT DIVERTER A MINIMUM OF 25 MM (1") BEYOND FACE OF SYSTEM.
- 2. KICKOUT DIVERTER TO BE MADE FROM CORROSION RESISTANT MATERIAL MIN. 24 GAUGE.
- 3. EXTEND ROOFING PAPER 127 MM (5") MIN. UP VERTICAL WALL BEHIND METAL FLASHING.

APPROVED BY: REV: DATE: RS 6 08/06

Roof To Wall Flashing





Residential MD System®


Chimney Enclosure

NOTE:

2.USE OF EPS INSULATION IS NOT RECOMMENDED ON MASONRY CHIMNEYS.



APPROVED BY:	REV:	DATE:
RS	7	08/06



Residential MD System®

Soffit Vent

NOTE:

1. CAULK ALL VENT JOINTS AND ENDS.



APPROVED BY:	REV:	DATE:
RS	1	08/06