

EXPANSION TANK SCHEDULE

TAG	MANUFACTURER	MODEL	TANK VOLUME GAL.	MAX WP/OT
ET	AMTROL	EXTROL 15	2.0	65/140

HOT WATER CIRCULATOR SCHEDULE

ITEM	BASIS OF DESIGN MANUFACTURER	MODEL	GPM	TOTAL HEAD FT/H ₂ O	ELECTRICAL			CONNECTION SIZE – FL	
					V/ø/Hz	FLA	HP	SUCT	DISC.
CP	ARMSTRONG	ASTRO 50	2	21	110/1/60	.95	1/20	1/2	1/2

WATER HEATER SCHEDULE

TAG	MANUFACTURER	MODEL	HEATER INPUT MBH	GALLON CAPACITY	WATER CONNECTION	GAS CONNECTION	FLUE DIA	OPER. WEIGHT lbs
WH	BRADFORD WHITE	D51–4056BN	38.0	40 GALLONS	.75	.5	4	180

PLUMBING FIXTURE SCHEDULE

SYMBOL	DESCRIPTION	TRAP	QTY	SFU	TSFU	DFU	TDFU
WC1	TOILET, ADA COMPLIANT	–	4	4	16	5	20
S1	COUNTER SINK	1.5	3	1.5	4.5	1.5	4.5
S2	DOUBLE BOWL COUNTER SINK	1.5	2	1.5	3	2	4
L1	WALL HUNG LAVATORY, WHITE	1.25	4	1	4	1	4
EWC	ELECTRIC WATER COOLER ADA COMLIANT	1.25	1	.5	.5	.5	.5
MB	MOP BASIN	–	1	3	3	3	3
				TOTAL	30	<div></div>	36



1225 Spring Street
Philadelphia, PA 19107
(215) 568-1090
Fax: (215) 568-1091

© All Reproductions
rights reserved.
Reproductions without
written permission
is prohibited.

CONSULTANTS:

ROCK SOLID ENGINEERING
775 EAST CENTRE STREET
WOODBURY, NJ 08095
EMAIL: THEDEVINGENTGROUP@COMCAST.NET
856.846.7995 856.846.7903 FAX

Engr: Frank A. Vasquez PE
NJ Lic: 33304

Seal

Sign: _____
Date: _____

PROJECT:

South Jersey Cntr
Health & Wellness
1919 Greentree Road
CHERRY HILL, NJ

TITLE:
Date Drawn: 11/17/08
Drawn By/Checked By
_____/_____
Revisions:

Date:

PHASE:

☐ Site Survey

☐ Pre-design Service

☐ Schematic Design

☐ Design Development

☐ Bid Document

☐ Construction Documents

☐ Supplemental Information

☐ _____

Project #: 08068

SEAL: